



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue, Suite 900
Seattle, Washington 98101-3140

Reply To: OCE-084

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

NOTICE OF CASE CLOSURE

Stacy Fox,
Surface Water Manager, Aviation Environmental Programs
Port of Seattle
19639 28th Ave. S
Seattle, Washington 98188

Re: 2008 Inspection Report

Dear Ms. Fox

This letter is in response to the June 10, 2008, inspection conducted by the U.S. Environmental Protection Agency (EPA) which was preformed by Eileen Hileman, at Port of Seattle, located at 19639 28th Ave. S, Seattle, Washington. The purpose of the inspection was to determine compliance with the federal polychlorinated bi-phenyl (PCB) regulations which were promulgated pursuant to the Toxic Substances Control Act (TSCA).

We have completed our review and have found no PCB violations pursuant to the TSCA regulations under 40 CFR § 761. We understand that there is no liquid filled electrical equipment on your property.

If any additional information is required, please contact Tristen Gardner of my staff at (206) 553-6240. We thank you for your cooperation and now consider this matter closed.

Sincerely,

Scott E. Downey, Manager
Pesticides and Toxics Unit

We have completed our review and have found no PCB violations pursuant to the TSCA regulations under 40 CFR § 761. We understand that there is no liquid filled electrical equipment on your property.

If any additional information is required, please contact Tristen Gardner of my staff at (206) 553-6240. We thank you for your cooperation and now consider this matter closed.

Sincerely,

Scott E. Downey, Manager
Pesticides and Toxics Unit

L:\Pesticides and Toxics\Tristen Gardner\Port of Seattle 28 (October 2008)

CONCURRENCES			
Initials:			
Name:	Daniel Duncan	Scott Downey	
Date:			